

## Projector

U5313W

# Ultra-short throw and network control

- Crestron® control and short throw make setup flexible
- Rich color, high resolution, and 3D support for enhanced images
- Acer SmartFormat technology increases usability
- ExtremeEco technology delivers long lamp life and power savings



RESOLUTION



BRIGHTNESS



DIGITAL CONNECTIVITY



WALL-COLOR COMPENSATION



SIDE LOADING LAMP



BUILT-IN SPEAKER



ACER SMART PEN \*



ULTRA-SHORT THROW



ColorBoost II



DLP 3D READY



ECO PROJECTION



UP TO 70% ExtremeEco



UP TO 7000hrs ExtremeEco



CRESTRON

\*Optional

## Specifications

Model name	Acer U5313W
Projection system	DLP®
Resolution	Native WXGA (1280 x 800) Maximum UXGA (1600 x 1200), WUXGA (1920 x 1200)
Aspect ratio	16:10 (native), 4:3, 16:9
Contrast ratio	10,000:1
Brightness	3100 ANSI lumens (standard); 2480 ANSI lumens (ECO)
Lamp life	3000 hours (standard); 4000 hours (ECO); 7000 hours (ExtremeEco)
Projection lens	F = 2.6, f = 5.27 mm; manual focus
Throw ratio	87" @ 32 cm (0.35:1)
Keystone correction	±15 degrees (vertical), manual
Noise level	34 dBA (standard); 30 dBA (ECO)
Input interface	Analog RGB / Component video (D-Sub) x 2 Composite video (RCA); S-video (Mini DIN); HDMI® (video, audio, HDCP); PC audio (stereo mini jack) x 2; L/R audio (stereo RCA) x 2 Mic in (stereo mini jack)
Output interface	Analog RGB (D-Sub); PC audio (stereo mini jack)
Control interface	Mini USB (Type B); RS-232 (D-Sub); 12V DC (screen control); RF receiver jack (for interactive SmartPen)
Dimensions	357 x 367 x 231 mm (14" x 14.4" x 9.1")
Weight	7.2 kg (15.9 lbs.)

## Feature Highlights

### Captivating projection

- Acer ColorBoost II+
- DLP® 3D Ready
- 3D Blu-ray Ready
- Native WXGA (1280 x 800) resolution
- 3100 lumens, 10,000:1 contrast ratio

### Enhanced usability



- Acer SmartFormat
- Acer SmartPen
- Wall-color compensation
- High-altitude mode
- Built-in 10 W speaker
- Dust protection
- Closed captioning

### Installation flexibility

- Ultra-short-throw projection
- Crestron® network control
- Digital connectivity (HDMI®)
- Acer side-loading lamp design
- Multi-PC connectivity
- Dual D-Sub Input

### Eco-friendly functionality

- Acer EcoProjection technology
- Lamp life up to 7,000 hours in ExtremeEco mode
- ECO mode
- Low noise level



### Acer ColorBoost II+ Technology

ColorBoost II+ is an advancement that refines the form of light waves to improve color performance based on lamp spectrum and color-wheel properties. Acer ColorBoost II+ enriches natural color temperature to achieve optical color balance, and enhances content-based color brightness.



### Crestron® network control

Crestron® is one of the world's biggest network-control system providers. This Acer projector is completely compliant with Crestron® Network System technology. Once this projector is connected to a LAN, it offers many network-control capabilities. This projector supports Crestron® Flash and Crestron RoomView®.



### DLP® 3D Ready

This projector supports DLP® 3D glasses for viewing in 3D any 120 Hz frame-sequential 3D content from a PC with a 120 Hz graphics card and 3D stereoscopic player.



### Acer EcoProjection

Acer EcoProjection is a complete environment-friendly power management solution that reduces standby power consumption by up to 70%. Also featured in the Acer EcoProjection suite is Acer ePower Management for customized power-saving configurations.

### About Acer

Established in 1976, Acer is an information and communication technology company dedicated to the research, design, marketing, sale and support of innovative products that enhance people's lives. Acer's green supply chain delivers environmentally friendly PCs, displays, projectors, servers, tablets and smartphones — tools our customers need to explore beyond limits and experience more. Ranked No. 3 for notebooks globally (IDC 2012), Acer employs 8,000 people, and 2012 revenues reached US\$14.7 billion. Please visit [www.acer.com](http://www.acer.com) for more information.

**acer**  
explore beyond limits™